### **King County**

#### Youth & Tobacco Data Summary 8TH GRADE

#### Year 2000

### Students Surveyed as part of County Sample n= 2,387    Gender			County %	State %
Female	8th Grade St		100.0 %	100.0 %
Male         48.6 %         48.1 %           Race/Ethnicity           Students of Color White         32.2 %         28.7 %           White         32.2 %         28.7 %           County %t/- Margin of Error         Margin of Error           Past 30 days, youth who have smoked cigarettes at least once         Female n= 11111         8.7 %+/- 1.7         14.5 %+/- 1.7         10.3 %+/- 1.5         10.3 %+/- 1.5         10.3 %+/- 1.5         10.3 %+/- 1.5         10.3 %+/- 1.5         12.5 %+/- 1.7         14.5 %+/- 1.7         14.5 %+/- 1.7         10.3 %+/- 1.5         12.5 %+/- 1.7         14.5 %+/- 1.5         12.5 %+/- 1.7         14.5 %+/- 1.7         10.3 %+/- 0.8         4.1.5 %+/- 1.7         10.3 %+/- 0.8         4.1.5 %+/- 1.7         10.3 %+/- 0.8         4.1.5 %+/- 1.7         14.5 %+/- 1.7         14.5 %+/- 1.7         14.5 %+/- 1.7         14.5 %+/- 1.7         14.5 %+/- 1.7         14.5 %+/- 0.8         3.0 %+/- 0.8         3.0 %+/- 0.8         3.0 %+/- 0.8         3.0 %+/- 0.8	Gender	,		
Students of Color   Students of Color   White   Students of Color   White   Students of Color   White   Students of County   Students of County   Students of County   Students of County   Students of Error   Students	Female		51.4 %	51.9 %
Students of Color   White   Students of Color   White   Students of County   W+/-   Margin of Error   State   W+/-   Margin of Error   Margin of Error   State   W+/-   Margin of Error   Margin of Error   State   W+/-   State   M+/-   Margin of Error   State   W+/-   Margin of Error   State   M+/-   Margin of Error   State   W+/-   Margin of Error   State   W+/-   State   M+/-   Margin of Err	Male		48.6 %	48.1 %
White         67.8 %         71.3 %           County %+/- Margin of Error         State %+/- Margin of Error           Past 30 days, youth who have smoked cigarettes at least once           Female         n= 1175         9.3 %+/- 1.7         14.5 %+/- 1.7         10.3 %+/- 1.5         1.5 %+/- 1.1         10.3 %+/- 1.5         1.5 %+/- 1.1         10.3 %+/- 1.5         1.5 %+/- 1.1         10.3 %+/- 1.5         1.5 %+/- 1.1         1.5 %+/- 1.2         12.5 %+/- 1.1         1.5 %+/- 1.2         1.2 %+/- 1.1         1.5 %+/- 1.2         1.2 % %+/- 1.1         1.5 %+/- 1.2         1.2 % %+/- 1.1         1.1         1.1         1.1 % %+/- 0.9         3.0 %+/- 0.1         1.1 % %+/- 1.1         1.1 % %+/- 0.9         3.0 %+/- 0.8         1.1 % %+/- 0.1         1.1 % %+/- 0.1         1.1 % %+/- 0.1         1.1 % %+/- 0.1         1.1 % %+/- 0.7         1.2 % %+/- 1.1         1.1 % %+/- 0.1         1.1 % %+/- 0.1         1.1 % %+/- 0.1         1.1 % %+/- 0.1         1.1 % %+/- 0.1         1.1 % %+/- 0.1         1.1 % %+/- 0.1         1.1 % %+/- 0.1         1.1 % %+/- 0.7         1.1 % %+/- 0.7         1.1 % %+/- 0.7         1.1 % %+/- 0.7         1.1 % %+/- 0.7         1.1 % %+/- 0.7         1.1 % %+/- 0.5         1.1 % %+/- 0.5         1.1 % %+/- 0.5         1.1 % %+/- 0.5         1.1 % %+/- 0.5         1.1 % %+/- 0.5         1.1 % %+/- 0.5         1.1 % %+/- 0.6 <t< td=""><td>Race/Ethnici</td><td>ty</td><td></td><td></td></t<>	Race/Ethnici	ty		
County %+/- Margin of Error of Error	Students of	Color	32.2 %	28.7 %
Margin of Error   Past 30 days, youth who have smoked cigarettes at least once   Female   n= 1175   9.3 %+/- 1.7   14.5 %+/- 1.5   1.03 %+/-	White		67.8 %	71.3 %
Margin of Error   Past 30 days, youth who have smoked cigarettes at least once   Female   n = 1175   9.3 %+/- 1.7   14.5 %+/- 1.5   1.0 3 %+			County %+/-	State %+/-
Past 30 days, youth who have smoked cigarettes at least once   Female   n = 1175   14.5 %+/- 1.7   10.3 %+/- 1.5   1.5 %+/- 1.7   10.3 %+/- 1.5   1.5 %+/- 1.7   10.3 %+/- 1.5   1.5 %+/- 1.7   10.3 %+/- 1.5   1.5 %+/- 1.7   10.3 %+/- 1.5   1.5 %+/- 1.7   10.3 %+/- 1.5   1.5 %+/- 1.7   10.3 %+/- 1.5   1.5 %+/- 1.1   1.5 %+/- 1.2   1.5 %+/- 1.1   1.5 %+/- 1.2   1.5 %+/- 1.1   1.5 %+/- 1.2   1.5 %+/- 1.1   1.5 %+/- 1.2   1.5 %+/- 1.1   1.5 %+/- 1.2   1.5 %+/- 1.1   1.5 %+/- 1.2   1.5 %+/- 1.1   1.5 %+/- 1.2   1.5 %+/- 1.1   1.5 %+/- 1.2   1.5 %+/- 1.2   1.5 %+/- 1.2   1.5 %+/- 1.2   1.5 %+/- 1.2   1.5 %+/- 1.2   1.5 %+/- 1.2   1.5 %+/- 1.2   1.5 %+/- 1.2   1.5 %+/- 1.7   1.5 %+/- 1.7   1.5 %+/- 1.7   1.5 %+/- 1.7   1.5 %+/- 1.5   1.5 %+/- 1.7   1.5 %+/- 1.5   1.5			•	
Past 30 days, youth who have smoked cigarettes at least once Female n = 1175 Male n = 1111  Past 30 days, youth who have smoked cigars at least once Female n = 1173 Male n = 1113 Past 30 days, youth who have smoked cigars at least once Female n = 1173 Male n = 1113 Past 30 days, youth who have smoked cigars at least once Female n = 1113 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 1167 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 1166 Past 30 days, youth who have smoked tobacco in a pipe at least once Female n = 1166 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 1162 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 1162 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n = 1162 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 1087 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n = 1087 Past 30 days, youth who have used any tobacco product at least once Female n = 1142 Past 30 days, youth who have used any tobacco product at least once Female n = 1142 Past 30 days, youth who have used any tobacco product at least once Female n = 1142 Past 30 days, youth who have used any tobacco product at least once Female n = 1085 Past 30 days, youth who have used any tobacco product at least once Female n = 1085 Past 30 days, youth who have used any tobacco product at least once Female n = 1085 Past 30 days, youth who have used any tobacco product at least once Female n = 1085 Past 30 days, youth who have used any tobacco product at least once			_	
Female			0	0. <u>_</u>
Male       n= 1111       8.7 %+/- 1.7       10.3 %+/- 1.5       1.5         Total       n= 2286       9.2 %+/- 1.2       12.5 %+/- 1.1       1.5         Past 30 days, youth who have smoked cigars at least once         Female       n= 1173       2.4 %+/- 0.9       3.0 %+/- 0.8         Male       n= 1113       4.5 %+/- 1.2       5.4 %+/- 1.1         Total       n= 2286       3.6 %+/- 0.7       4.3 %+/- 0.7         Past 30 days, youth who have smoked tobacco in a pipe at least once         Female       n= 1167       0.9 %+/- 0.5       1.7 %+/- 0.6         Male       n= 1106       2.3 %+/- 0.9       2.4 %+/- 0.8         Total       n= 2273       1.5 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once         Female       n= 1162       2.2 %+/- 0.8       3.4 %+/- 0.8         Male       n= 1099       2.5 %+/- 0.9       3.1 %+/- 0.9         Total       n= 2261       2.3 %+/- 0.6       3.3 %+/- 0.6         Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once         Female       n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male       n= 108			03%+/-17	145 %+/- 17
Past 30 days, youth who have smoked cigars at least once   Female				
Past 30 days, youth who have smoked cigars at least once  Female				
Female Male n= 11173       2.4 %+/- 0.9       3.0 %+/- 0.8         Male n= 1113       4.5 %+/- 1.2       5.4 %+/- 1.1         Total n= 2286       3.6 %+/- 0.7       4.3 %+/- 0.7         Past 30 days, youth who have smoked tobacco in a pipe at least once         Female n= 1167       0.9 %+/- 0.5       1.7 %+/- 0.6         Male n= 1106       2.3 %+/- 0.9       2.4 %+/- 0.8         Total n= 2273       1.5 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once         Female n= 1162       2.2 %+/- 0.8       3.4 %+/- 0.5         Male n= 1099       2.5 %+/- 0.9       3.1 %+/- 0.9         Total n= 2261       2.3 %+/- 0.6       3.3 %+/- 0.6         Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once         Female n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7	TOLAT	11- 2200	9.2 %+/- 1.2	12.5 %+/- 1.1
Male       n= 1113       4.5 %+/- 1.2       5.4 %+/- 1.1       1.1         Total       n= 2286       3.6 %+/- 0.7       4.3 %+/- 0.7         Past 30 days, youth who have smoked tobacco in a pipe at least once         Female       n= 1167       0.9 %+/- 0.5       1.7 %+/- 0.6         Male       n= 1106       2.3 %+/- 0.9       2.4 %+/- 0.8         Male       n= 2273       1.5 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once         Female       n= 1162       2.2 %+/- 0.8       3.4 %+/- 0.5         Male       n= 1099       2.5 %+/- 0.9       3.1 %+/- 0.9         Total       n= 2261       2.3 %+/- 0.6       3.3 %+/- 0.6         Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once         Female       n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male       n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female       n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male       n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7	-	• •		
Total n= 2286  3.6 %+/- 0.7  4.3 %+/- 0.7  Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= 1167  Male n= 1106  Total n= 2273  Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= 1162  Male n= 1099  Total n= 2261  Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= 1142  Male n= 2229  Past 30 days, youth who have used any tobacco product at least once Female n= 1142  Male n= 1085  Past 30 days, youth who have used any tobacco product at least once Female n= 1142  Male n= 1085  10.2 %+/- 1.8  15.5 %+/- 1.7  Male n= 1085				
Past 30 days, youth who have smoked tobacco in a pipe at least once  Female n= 1167				
at least once         Female       n= 1167       0.9 %+/- 0.5       1.7 %+/- 0.6         Male       n= 1106       2.3 %+/- 0.9       2.4 %+/- 0.8         Total       n= 2273       1.5 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once         Female       n= 1162       2.2 %+/- 0.8       3.4 %+/- 0.8         Male       n= 1099       2.5 %+/- 0.9       3.1 %+/- 0.9         Total       n= 2261       2.3 %+/- 0.6       3.3 %+/- 0.6         Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once         Female       n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male       n= 1087       2.1 %+/- 0.9       2.6 %+/- 0.8         Total       n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female       n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male       n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7	Total	n= 2286	3.6 %+/- 0.7	4.3 %+/- 0.7
Female Male n= 1106       0.9 %+/- 0.5       1.7 %+/- 0.6         Male n= 1106       2.3 %+/- 0.9       2.4 %+/- 0.8         Total n= 2273       1.5 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once         Female n= 1162       2.2 %+/- 0.8       3.4 %+/- 0.8         Male n= 1099       2.5 %+/- 0.9       3.1 %+/- 0.9         Total n= 2261       2.3 %+/- 0.6       3.3 %+/- 0.6         Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once         Female n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male n= 1087       2.1 %+/- 0.9       2.6 %+/- 0.8         Total n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7				
Male Total         n= 1106 n= 2273         2.3 %+/- 0.9         2.4 %+/- 0.8           Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once           Female n= 1162         2.2 %+/- 0.8         3.4 %+/- 0.8           Male n= 1099         2.5 %+/- 0.9         3.1 %+/- 0.9           Total n= 2261         2.3 %+/- 0.6         3.3 %+/- 0.6           Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once           Female n= 1142         0.8 %+/- 0.5         1.4 %+/- 0.6           Male n= 1087         2.1 %+/- 0.9         2.6 %+/- 0.8           Total n= 2229         1.6 %+/- 0.5         2.1 %+/- 0.5           Past 30 days, youth who have used any tobacco product at least once           Female n= 1142         10.2 %+/- 1.8         15.5 %+/- 1.7           Male n= 1085         12.4 %+/- 2.0         14.0 %+/- 1.7	at least once			
Total         n= 2273         1.5 %+/- 0.5         2.1 %+/- 0.5           Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once           Female         n= 1162         2.2 %+/- 0.8         3.4 %+/- 0.8           Male         n= 1099         2.5 %+/- 0.9         3.1 %+/- 0.9           Total         n= 2261         2.3 %+/- 0.6         3.3 %+/- 0.6           Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once           Female         n= 1142         0.8 %+/- 0.5         1.4 %+/- 0.6           Male         n= 1087         2.1 %+/- 0.9         2.6 %+/- 0.8           Total         n= 2229         1.6 %+/- 0.5         2.1 %+/- 0.5           Past 30 days, youth who have used any tobacco product at least once           Female         n= 1142         10.2 %+/- 1.8         15.5 %+/- 1.7           Male         n= 1085         12.4 %+/- 2.0         14.0 %+/- 1.7	Female	n= 1167	0.9 %+/- 0.5	1.7 %+/- 0.6
Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once  Female	Male	n= 1106	2.3 %+/- 0.9	2.4 %+/- 0.8
at least once         Female       n= 1162       2.2 %+/- 0.8       3.4 %+/- 0.8         Male       n= 1099       2.5 %+/- 0.9       3.1 %+/- 0.9         Total       n= 2261       2.3 %+/- 0.6       3.3 %+/- 0.6         Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once         Female       n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male       n= 1087       2.1 %+/- 0.9       2.6 %+/- 0.8         Total       n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female       n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male       n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7	Total	n= 2273	1.5 %+/- 0.5	2.1 %+/- 0.5
Female       n= 1162       2.2 %+/- 0.8       3.4 %+/- 0.8         Male       n= 1099       2.5 %+/- 0.9       3.1 %+/- 0.9         Total       n= 2261       2.3 %+/- 0.6       3.3 %+/- 0.6         Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once         Female       n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male       n= 1087       2.1 %+/- 0.9       2.6 %+/- 0.8         Total       n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female       n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male       n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7	Past 30 days	, youth who have smoked bidis (flavored cigarettes)		
Male Total       n= 1099 n= 2261       2.5 %+/- 0.9 3.1 %+/- 0.9         Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once         Female n= 1142 n= 1087 n= 2229       0.8 %+/- 0.5 1.4 %+/- 0.6 3.1 %+/- 0.8 3.1 %+/- 0.5 3.1 %	at least once			
Total       n= 2261       2.3 %+/- 0.6       3.3 %+/- 0.6         Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once         Female       n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male       n= 1087       2.1 %+/- 0.9       2.6 %+/- 0.8         Total       n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female       n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male       n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7	Female	n= 1162	2.2 %+/- 0.8	3.4 %+/- 0.8
Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once  Female	Male	n= 1099	2.5 %+/- 0.9	3.1 %+/- 0.9
(chewing tobacco, snuff or dip) at least once         Female       n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male       n= 1087       2.1 %+/- 0.9       2.6 %+/- 0.8         Total       n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female       n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male       n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7	Total	n= 2261	2.3 %+/- 0.6	3.3 %+/- 0.6
(chewing tobacco, snuff or dip) at least once         Female       n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male       n= 1087       2.1 %+/- 0.9       2.6 %+/- 0.8         Total       n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female       n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male       n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7	Past 30 days	, youth who have used smokeless tobacco		
Female       n= 1142       0.8 %+/- 0.5       1.4 %+/- 0.6         Male       n= 1087       2.1 %+/- 0.9       2.6 %+/- 0.8         Total       n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female       n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male       n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7	•			
Male Total       n= 1087 n= 2229       2.1 %+/- 0.9       2.6 %+/- 0.8         Past 30 days, youth who have used any tobacco product at least once         Female n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7		• • • • • • • • • • • • • • • • • • • •	0.8 %+/- 0.5	1.4 %+/- 0.6
Total       n= 2229       1.6 %+/- 0.5       2.1 %+/- 0.5         Past 30 days, youth who have used any tobacco product at least once         Female       n= 1142       10.2 %+/- 1.8       15.5 %+/- 1.7         Male       n= 1085       12.4 %+/- 2.0       14.0 %+/- 1.7				
at least once       Female     n= 1142     10.2 %+/- 1.8     15.5 %+/- 1.7       Male     n= 1085     12.4 %+/- 2.0     14.0 %+/- 1.7				
at least once       Female     n= 1142     10.2 %+/- 1.8     15.5 %+/- 1.7       Male     n= 1085     12.4 %+/- 2.0     14.0 %+/- 1.7	Past 30 days	, youth who have used any tobacco product		
Male n= 1085 12.4 %+/- 2.0 14.0 %+/- 1.7				
Male n= 1085 12.4 %+/- 2.0 14.0 %+/- 1.7	Female	n= 1142	10.2 %+/- 1.8	15.5 %+/- 1.7
			12.4 %+/- 2.0	
	Total	n= 2227	11.4 %+/- 1.3	14.9 %+/- 1.2

Source: Washington State Department of Health Tobacco Prevention and Control

Assessment and Evaluation

n = number of survey respondents for county. \* = Rate not calculated because number of

responses was less than 15.

### **King County**

# Youth & Tobacco Data Summary 8TH GRADE

Year 2000

real 2000	County %+/- Margin of Error	State %+/- Margin of Error
About how many cigarettes have you smoked in your entire life?  None 1/2 pack or less 1 - 4 packs 5 or more packs	n= 2264 72.0 %+/- 1.8 20.5 %+/- 1.7 3.1 %+/- 0.7 4.3 %+/- 0.8	64.9 %+/- 1.6 22.2 %+/- 1.4 6.3 %+/- 0.9 6.6 %+/- 0.8
Do you want to stop using tobacco right now? (among current tobacco users) Yes	n= 282 58.5 %+/- 5.8	59.3 %+/- 4.1
Have you ever participated in a program to help you quit using tobacco? (among current tobacco users) Yes	n= 311 7.7 %+/- 3.0	7.2 %+/- 2.0
During past 12 months, did you ever try to quit using tobacco? (cigarettes, cigars, or chew/dip)(among current tobacco users) Yes	n= 158 56.3 %+/- 7.7	61.2 %+/- 5.2
Do you think you will smoke a cigarette at any time during the next year?  Definitely no	n= 2344 63.3 %+/- 2.0	60.8 %+/- 1.7
If one of your best friends offered you a cigarette, would you smoke it?  Definitely no	n= 2330 66.6 %+/- 1.9	64.0 %+/- 1.6
Susceptibility Index (combination of the previous two questions, either of which receives any answer other than 'Definitely no') Susceptible	n= 2339 41.5 %+/- 2.0	43.5 %+/- 1.7
If one of your best friends offered you a cigarette, would you smoke it? (from among youth who did not smoke in last 30 days)  Definitely no	n= 2111 72.7 %+/- 1.9	72.1 %+/- 1.6
Do you think the smoke from other people's cigarettes (second-hand smoke) is harmful to you?  Definitely yes or Probably yes	n= 2348 89.7 %+/- 1.2	89.0 %+/- 1.0
Do you think it is safe to smoke for only a year or two, as long as you quit after that?  Definitely no	n= 2339 69.3 %+/- 1.9	69.5 %+/- 1.6

### **King County**

# Youth & Tobacco Data Summary 8TH GRADE

Year 2000

, sai <b>2</b> 000	County %+/- Margin of Error	State %+/- Margin of Error
Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses? Definitely no	n= 2331 50.6 %+/- 2.0	45.5 %+/- 1.7
During last 12 months, did you buy or receive anything that has a tobacco name or picture on it? Yes	n= 2329 15.9 %+/- 1.5	16.2 %+/- 1.2
During past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?  3 or more days	n= 884 19.3 %+/- 2.6	29.7 %+/- 3.1
During past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes?  3 or more days	n= 885 12.5 %+/- 2.2	24.3 %+/- 2.9
During this school year, did you practice ways to say 'NO' to tobacco in any of your classes (for example, by role playing)? Yes	n= 2336 49.2 %+/- 2.0	48.6 %+/- 1.7
During past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking?  More than once a week	n= 2338 81.9 %+/- 1.6	77.1 %+/- 1.5
How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes?  Very wrong	n= 2353 60.6 %+/- 2.0	57.6 %+/- 1.7
If you wanted to get some tobacco, how easy would it be for you to get some?  Very hard or Sort of hard	n= 2333 57.1 %+/- 2.0	52.2 %+/- 1.7
Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Yes	n= 2339 69.1 %+/- 1.9	71.2 %+/- 1.5
Does anyone who lives with you now smoke cigarettes? Yes	n= 884 28.3 %+/- 3.0	38.7 %+/- 3.3